

Fig. 1 (a)



Fry. 1 (b)



2: TANK (A)

3: TANK (B)

6: PUMP

8a: HEATER

9: CONTROL CIRCUIT

11: TIMER

12: TEMPERATURE SENSOR

13: ILLUMINATION SENSOR

14: WIND DIRECTION SENSOR


15: WIND VELOCITY SENSOR

16: HUMIDITY SENSOR

17: OUTSIDE SENSOR SUCH AS CONCENTRATION SENSOR

18: (SOLAR) BATTERY

-<u>WIZ-</u> :



- 21: TANK (a)
- 22: TANK (b)
- 23: TANK (c)
- 6A: PUMP
- 6B: PUMP
- 6C: PUMP
- 8a: HEATER
- 9: CONTROL CIRCUIT

- 11: TIMER
- 12: TEMPERATURE SENSOR
- 13: ILLUMINATION SENSOR
- 14: WIND DIRECTION SENSOR
- 15: WIND VELOCITY SENSOR
- 16: HUMIDITY SENSOR
- 17: OUTSIDE SENSOR SUCH AS CONCENTRATION SENSOR
- 18: (SOLAR) BATTERY

- 図3







Fig. 3 (b)



- 21: TANK (a)
- 22: TANK (b)
- 23: TANK (c)
- 6: PUMP
- 6: PUMP
- 6: PUMP
- 8a: HEATER
- 9: CONTROL CIRCUIT
- 11: TIMER
- 12-16: VARIOUS KINDS OF SENSORS
- 18: BATTERY

),

<u>- 124</u>

Fig. 4 (a)





Fig. 4:(b)



2: TANK (A)

3: TANK (B)

6: PUMP

9: CONTROL CIRCUIT

11: TIMER

12: TEMPERATURE SENSOR

13: ILLUMINATION SENSOR

14: WIND DIRECTION SENSOR

15: WIND VELOCITY SENSOR

16: HUMIDITY SENSOR

17: OUTSIDE SENSOR SUCH AS CONCENTRATION SENSOR


18: (SOLAR) BATTERY

31: BELT


33: DRIVING MECHANISM

- | | | | | | | |

Fig. 5 (a)



Frg. 5 (b)



2: TANK (A) .

. 3: TANK (B)

6: PUMP

8a: HEATER

9: CONTROL CIRCUIT

11: TIMER

12: TEMPERATURE SENSOR

13: ILLUMINATION SENSOR

14: WIND DIRECTION SENSOR

15: WIND VELOCITY SENSOR

16: HUMIDITY SENSOR

17: OUTSIDE SENSOR SUCH AS CONCENTRATION SENSOR

18: (SOLAR) BATTERY


51: SELF-INFORMATION


52: OPTIMUM CONDITION

· ( )

- 図6

Fig. 6 (b)





TANK (A)

TANK (B)

6: PUMP

8a: HEATER

9: CONTROL CIRCUIT

11: TIMER

12: TEMPERATURE SENSOR

13: ILLUMINATION SENSOR

14: WIND DIRECTION SENSOR

15: WIND VELOCITY SENSOR


16: HUMIDITY SENSOR

17: OUTSIDE SENSOR SUCH AS CONCENTRATION SENSOR

18: (SOLAR) BATTERY

51: SELF-INFORMATION


64: SENDING/RECEIVING CIRCUIT



121A: CHEMICAL a

121B: CHEMICAL b

121C: CHEMICAL c



ST1: ON

ST2: IS CARTRIDGE 103A MOUNTED?

ST3: TIME-OUT?

ST4: INITIAL FILLING-UP OF PUMP 107A / READING

ST5: IS CARTRIDGE 103B MOUNTED?

STG: TIME-OUT?

ST7: INITIAL FILLING UP OF PUMP 107B / READING

ST8: IS CARTRIDGE 103C MOUNTED?


ST9: TIME-OUT?

ST10: INITIAL FILLING UP OF PUMP 107C / READING

ST11: IS CARTRIDGE 103A MOUNTED?

ST12: IS CARTRIDGE 103B MOUNTED?





121A: CHEMICAL a

121B: CHEMICAL b

121C: CHEMICAL c

109C: SUBSTRATE

10/19 Frg. 10 . 142 103A TO 103C: CARTRIDGE (販売店) 102 140: (MANUFACTURER) p5 p6 103A-103C 142: (SHOP) カートリッジ 143: (PURCHASER FARMER) 122A~122C NVRAM 143 吐出装置本体の 吐出装置に挿入すると、吐出装置 本体の個別番号(顧客情報)書き 個別番号 p5,p6 (メーカー) 使用後、: 回収 146 153 154 151 147 148 読取 p5,p6 152 103A~103C ۲ リサイクル 150 140

144: WRITING INDIVIDUAL NUMBER (PURCHASER INFORMATION) OF DISCHARGE APPARATUS BODY AFTER INSERTING DISCHARGE APPARATUS, p5, p6


INDIVIDUAL NUMBER OF DISCHARGE APPARATUS BODY, p5, p6

146: COLLECTING AFTER BEING USED

147: p5, p6 READING

149: RECYCLING


1 Fre. 11.




1 2/1 9


図 12

Trg.12 (a)






Frg. 12 (b)



Frg. 12 (c)

図13

Fig. 13



図井




图 15

6

Frg. 15 (a)






Fig. 15 (b)




16/19


图 16


Trg. 16---(a)















図 ‡8

Trg. 18 (a)



Trg. 18 (b)

212: PRESSURE

